

TOGGLER® High Performance Anchors Product Codes

BOX PROGRAM

SnapSku® self-drilling drywall anchors

Product Code	Description	Inner Carton 10 boxes	Master Carton No. of boxes Weight	Master Carton Volume
NEW 30032	50 SPM™ MINI anchors [3/8"-5/8" drywall] & 50 #6 x 1¼" combo head screws	4.6 lbs.	50 boxes 23.8 lbs.	1.6 cu. ft.
NEW 30030	100 SPM™ MINI anchors [3/8"-5/8" drywall] & 100 #6 x 1¼" combo head screws	7.9 lbs.	50 boxes 40.5 lbs.	1.6 cu. ft.
NEW 30031	100 SPM™ MINI anchors [3/8"-5/8" drywall] No Screws	3.6 lbs.	50 boxes 19.0 lbs.	1.6 cu. ft.
30012	50 SPT™ anchors [3/8"-5/8" drywall] & 50 #8 x 1½" combo head screws	7.3 lbs.	50 boxes 37.8 lbs.	1.6 cu. ft.
30010	100 SP™ anchors [3/8"-5/8" drywall] & 100 #8 x 1½" combo head screws	13.8 lbs.	30 boxes 42.9 lbs.	1.8 cu. ft.
30011	100 SP™ anchors [3/8"-5/8" drywall] No Screws	6.8 lbs.	30 boxes 21.9 lbs.	1.8 cu. ft.

TOGGLER® plastic hollow-wall anchors

Product Code	Description	Inner Carton 10 boxes	Master Carton 50 boxes	Master Carton Volume
11009	100 TA® anchors for 1/8" - 1/4" walls & 3 keys in box	2.6 lbs.	13.9 lbs.	1.4 cu. ft.
11010	100 TB® anchors for 3/8" - 1/2" walls & 3 keys in box	4.2 lbs.	22.2 lbs.	2.0 cu. ft.
11011	100 TC® anchors for 5/8" - 3/4" walls & 3 keys in box	4.7 lbs.	25.4 lbs.	2.4 cu. ft.
11021	50 TD™ anchors for 1" walls & 3 keys in box	3.3 lbs.	18.1 lbs.	2.0 cu. ft.
11029	50 T35™ anchors for 1 3/8" walls & 3 keys in box	3.7 lbs.	20.5 lbs.	2.0 cu. ft.
11030	25 T39™ anchors for 1 1/2" walls & 3 keys in box	2.6 lbs.	14.8 lbs.	2.0 cu. ft.

SNAPTOGGLE® steel toggle bolts (1010 CRS)

Product Code	Description	Each Box	Master Carton 10 boxes	Master Carton Volume
24013—Standard Qty.*	100 BA™ toggle bolts only in box use 3/16"-24 threaded bolts	3.6 lbs.	37.3 lbs.	1.5 cu. ft.
24014—Standard Qty.*	100 BB™ toggle bolts only in box use 1/4"-20 threaded bolts	3.6 lbs.	37.2 lbs.	1.5 cu. ft.
25013—Special Request*	50 BA™ toggle bolts only in box use 3/16"-24 threaded bolts	1.9 lbs.	19.6 lbs.	0.9 cu. ft.
25014—Special Request*	50 BB™ toggle bolts only in box use 1/4"-20 threaded bolts	1.9 lbs.	19.5 lbs.	0.9 cu. ft.
NEW 21017	25 BE™ toggle bolts only in box use 5/16"-18 threaded bolts	1.5 lbs.	15.6 lbs.	1.3 cu. ft.
21015	25 BC™ toggle bolts only in box use 3/8"-16 threaded bolts	1.5 lbs.	15.6 lbs.	1.3 cu. ft.
21016	25 BD™ toggle bolts only in box use 1/2"-13 threaded bolts	1.4 lbs.	15.2 lbs.	1.3 cu. ft.
21049	50 BAL™ toggle bolts only in box use 3/16"-24 threaded bolts For 2" - 9 1/2" grip range	2.5 lbs.	26.7 lbs.	2.7 cu. ft.
21050	50 BBL™ toggle bolts only in box use 1/4"-20 threaded bolts For 2" - 9 1/2" grip range	2.5 lbs.	26.4 lbs.	2.7 cu. ft.

* **NOTE:** SNAPTOGGLE® BA & BB toggle bolts and BAS & BBS stainless steel toggle bolts will be shipped in boxes of 100 pcs, unless specifically ordered in boxes of 50 pcs [please specify product code]. Both 100-piece boxes and 50-piece boxes are now normally in stock in our warehouse.

Please see rear for ALLIGATOR® solid-wall anchors and TOGGLER® stainless steel toggle bolts & specialty anchors

ALLIGATOR® solid-wall anchors

Product Code	Description	Inner Carton 10 boxes	Master Carton 50 boxes	Master Carton Volume
13103 ALLIGATOR	200 AF5™ anchors w/flange in box-3/16" drill size	2.3 lbs.	12.2 lbs.	.9 cu. ft.
13101 ALLIGATOR	100 AF6™ anchors w/flange in box-1/4" drill size	2.2 lbs.	12.0 lbs.	.9 cu. ft.
13102 ALLIGATOR	100 AF8™ anchors w/flange in box-5/16" drill size	3.9 lbs.	21.3 lbs.	1.6 cu. ft.
13106 ALLIGATOR	200 A5™ flangeless anchors in box-3/16" drill size	1.9 lbs.	10.4 lbs.	0.6 cu. ft.
13104 ALLIGATOR	100 A6™ flangeless anchors in box-1/4" drill size	1.9 lbs.	10.0 lbs.	0.6 cu. ft.
13105 ALLIGATOR	100 A8™ flangeless anchors in box-5/16" drill size	3.6 lbs.	18.9 lbs.	1.2 cu. ft.
13107 ALLIGATOR	50 A10™ flangeless anchors in box-3/8" drill size	3.4 lbs.	18.1 lbs.	1.2 cu. ft.

SNAPTOGGLE® 304 stainless steel toggle bolts

Product Code	Description	Each Box	Master Carton 10 boxes	Master Carton Volume
24020—Standard Qty.* stainless steel SNAPTOGGLE® toggle bolt	100 BAS™ toggle bolts only in box use 3/16"-24 threaded stainless steel bolts	3.6 lbs.	37.3 lbs.	1.5 cu. ft.
24021—Standard Qty.* stainless steel SNAPTOGGLE® toggle bolt	100 BBS™ toggle bolts only in box use 1/4"-20 threaded stainless steel bolts	3.6 lbs.	37.2 lbs.	1.5 cu. ft.
25020—Special Request* stainless steel SNAPTOGGLE® toggle bolt	50 BAS™ toggle bolts only in box use 3/16"-24 threaded stainless steel bolts	1.9 lbs.	19.6 lbs.	0.9 cu. ft.
25021—Special Request* stainless steel SNAPTOGGLE® toggle bolt	50 BBS™ toggle bolts only in box use 1/4"-20 threaded stainless steel bolts	1.9 lbs.	19.5 lbs.	0.9 cu. ft.
21022 stainless steel toggle bolt	25 BCS™ toggle bolts only in box use 3/8"-16 threaded stainless steel bolts	1.5 lbs.	15.6 lbs.	1.3 cu. ft.
21023 stainless steel toggle bolt	25 BDS™ toggle bolts only in box use 1/2"-13 threaded stainless steel bolts	1.5 lbs.	15.2 lbs.	1.3 cu. ft.
21059 stainless steel long toggle bolt	50 BALS™ toggle bolts only in box use 3/16"-24 threaded s.s. bolts For 2" - 9 1/2" grip range	2.5 lbs.	26.7 lbs.	2.7 cu. ft.
21060 stainless steel long toggle bolt	50 BBLS™ toggle bolts only in box use 1/4"-20 threaded s.s. bolts For 2" - 9 1/2" grip range	2.5 lbs.	26.4 lbs.	2.7 cu. ft.

TOGLER BRAND specialty anchors

Product Code	Description	Inner Carton 10 boxes	Master Carton 50 boxes	Master Carton Volume
11012 picture hook anchors	100 TH® anchors w/hooks for 3/8" - 1/2" walls & 3 keys in box	4.9 lbs.	26.8 lbs.	2.39 cu. ft.
11023 shelving anchors	50 TBS1™ anchors for 3/8" - 1/2" walls & 3 keys in box	3.0 lbs.	16.5 lbs.	1.96 cu. ft.
11022 pegboard anchors	50 TBS2™ anchors for 3/8" - 1/2" walls & 3 keys in box	3.2 lbs.	17.8 lbs.	1.96 cu. ft.
11024 wire shelf anchors	50 TBW™ anchors, 50 retainers for 3/8" - 1/2" walls & 3 keys in box	4.4 lbs.	23.5 lbs.	1.96 cu. ft.

For more information — e-mail: sales@toggler.com — or fax: (914) 347-3634


Patented under one or more of the following U.S. Patent Nos.: 4,993,901; 5,028,186; 5,161,296; 5,938,385; 6,161,999; 7,144,212; 7,320,569 and foreign counterparts thereof and of 4,650,386 & 4,752,170. Other worldwide patents pending. TOGLER and typeface, logo symbol, TA, TB, TC, TH, ALLIGATOR, SnapSkru, and SNAPTOGGLE are worldwide registered trademarks of Mechanical Plastics Corp. AF5, AF6, AF8, A5, A6, A8, A10, BA, BB, BC, BD, BE, (BxS series), SP, SPM, TBS1, TBS2, TBW, TD, T35, and T39 are worldwide trademarks of Mechanical Plastics Corp.

TOGLER Anchor System
Div. of Mechanical Plastics Corp.

444 Saw Mill River Road • P.O. Box 554 • Elmsford, NY 10523 • USA
FAX (914) 347-3634 • TEL (914) 347-2727 • Toll-Free (800) 544-2552

© MPC 2008

www.toggler.com **e-mail: sales@toggler.com** 0708NPX



TOGGLER[®] High Performance Anchors Product Codes

BAG PROGRAM

SnapSku[®] self-drilling drywall anchors

	Product Code / <i>UPC</i>	Description	Bags/ Shelf Pack	Bags/ Master Carton
<i>NEW</i>	48716 drywall anchors 0-3629648716-4	6 SPM [™] <i>MINI</i> self-drilling drywall anchors & 6 #6 x 1¼" screws in bag for 3/8"-5/8" drywall	10	200
<i>NEW</i>	48718 drywall anchors 0-3629648718-8	25 SPM [™] <i>MINI</i> self-drilling drywall anchors & 25 #6 x 1¼" screws in bag for 3/8"-5/8" drywall	10	100
	48704 drywall anchors 0-3629648704-1	4 SP [™] self-drilling drywall anchors & 4 #8 x 1½" screws in bag for 3/8"-5/8" drywall	10	200
	48700 drywall anchors 0-3629648700-3	20 SP [™] self-drilling drywall anchors & 20 #8 x 1½" screws in bag for 3/8"-5/8" drywall	10	100

SNAPTOGGLE[®] toggle bolts

	Product Code / <i>UPC</i>	Description	Bags/ Shelf Pack	Bags/ Master Carton
	43312 toggle bolt 0-3629643312-3	2 BA [™] SNAPTOGGLE [®] toggle bolts & 2 3/16"-24 x 2½" combo head bolts in bag	10	100
	43311 toggle bolt 0-3629643311-6	10 BA [™] SNAPTOGGLE [®] toggle bolts & 10 3/16"-24 x 2½" combo head bolts in bag	10	40
	43322 toggle bolt 0-3629643322-2	2 BB [™] SNAPTOGGLE [®] toggle bolts & 2 1/4"-20 x 2½" combo head bolts in bag	10	100
	43321 toggle bolt 0-3629643321-5	10 BB [™] SNAPTOGGLE [®] toggle bolts & 10 1/4"-20 x 2½" combo head bolts in bag	10	40
	43342 toggle bolt 0-3629643342-0	2 BC [™] TOGGLER [®] toggle bolts & 2 3/8"-16 x 2½" combo head bolts in bag	10	100
	43412 Stainless Steel toggle bolt 0-3629643412-0	2 BAS [™] SNAPTOGGLE [®] toggle bolts & 2 3/16"-24 x 2½" stainless steel combo head bolts in bag	10	100
	43422 Stainless Steel toggle bolt 0-3629643422-9	2 BBS [™] SNAPTOGGLE [®] toggle bolts & 2 1/4"-20 x 2½" stainless steel combo head bolts in bag	10	100

For more information — e-mail: sales@toggler.com — or fax: (914) 347-3634

Please see rear for ALLIGATOR[®] solid-wall anchors and TOGGLER[®] plastic hollow-wall & specialty anchors

ALLIGATOR[®] solid-wall anchors

Product Code / UPC	Description	Bags/ Shelf Pack	Bags/ Master Carton
41006 0-3629641006-3	6 AF5 [™] anchors w/flange & 6 #8 x 1¼" screws in bag 3/16" drill size	10	200
41016 0-3629641016-2	6 AF6 [™] anchors w/flange & 6 #10 x 1½" screws in bag 1/4" drill size	10	200
41010 0-3629641010-0	20 AF6 [™] anchors w/flange & 20 #10 x 1½" screws in bag 1/4" drill size	10	100
41026 0-3629641026-1	6 AF8 [™] anchors w/flange & 6 #12 x 1¾" screws in bag 5/16" drill size	10	200
41020 0-3629641020-9	20 AF8 [™] anchors w/flange & 20 #12 x 1¾" screws in bag 5/16" drill size	10	100
41066 0-3629641066-7	6 A6 [™] flangeless anchors & 6 #10 x 1½" screws in bag 1/4" drill size	10	200
41084 0-3629641084-1	4 A10 [™] flangeless anchors & 4 #14 x 2¼" screws in bag 3/8" drill size	10	200

TOGGLER[®] plastic hollow-wall anchors

Product Code / UPC	Description	Bags/ Shelf Pack	Bags/ Master Carton
45205 hollow door anchors 0-3629645205-6	5 TA [®] anchors, 5 #8 x 1¼" screws & 1 key in bag for 1/8"-1/4" walls	10	200
45200 hollow door anchors 0-3629645200-1	20 TA [®] anchors, 20 #8 x 1¼" screws & 2 keys in bag for 1/8"-1/4" walls	10	100
45225 drywall anchors 0-3629645225-4	5 TB [®] anchors, 5 #8 x 1½" screws & 1 key in bag for 3/8"-1/2" walls	10	200
45220 drywall anchors 0-3629645220-9	20 TB [®] anchors, 20 #8 x 1½" screws & 2 keys in bag for 3/8"-1/2" walls	10	100
45245 plaster wall anchors 0-3629645245-2	5 TC [®] anchors, 5 #8 x 1¾" screws & 1 key in bag for 5/8"-3/4" walls	10	200
45240 plaster wall anchors 0-3629645240-7	20 TC [®] anchors, 20 #8 x 1¾" screws & 2 keys in bag for 5/8"-3/4" walls	10	100

TOGGLER[®] specialty anchors

47105 picture hook anchors 0-3629647105-7	5 TH [®] hook anchors, 5 #8 x 1½" screws & 1 key in bag for 3/8"-1/2" walls	10	200
47117 shelving anchors 0-3629647117-0	7 TBS1 [™] anchors, 7 #7 x 1¾" screws & 1 key in bag for 3/8"-1/2" walls	10	200
47129 pegboard anchors 0-3629647129-3	9 TBS2 [™] anchors, 9 #8 x 1¾" screws & 1 key in bag for 3/8"-1/2" walls	10	200
47135 wire shelf anchors 0-3629647135-4	5 TBW [™] anchors, 5 retainers, 5 #8 x 1¾" screws & 1 key in bag for 3/8"-1/2" walls	10	200

Patented under one or more of the following U.S. Patent Nos.: 4,673,150; 4,878,790; 4,993,901; 5,028,186; 5,161,296; 5,938,385; 6,161,999; and foreign counterparts thereof and of 4,650,386 & 4,752,170. Other worldwide patents pending. TOGGLER and typeface, logo symbol, TA, TB, TC, TH, ALLIGATOR, SnapSkru, and SNAPTOGGLE are worldwide registered trademarks of Mechanical Plastics Corp. AF5, AF6, AF8, A5, A6, A8, A10, TD, T35, T39, SP, BA, BB, BC, BD, BAL, BBL, (BxS series), TBS1, TBS2, and TBW are worldwide trademarks of Mechanical Plastics Corp.

TOGGLER Anchor System
Div. of Mechanical Plastics Corp.

© MPC 2008

444 Saw Mill River Road • P.O. Box 554 • Elmsford, NY 10523 • USA
FAX (914) 347-3634 • TEL (914) 347-2727 • Toll-Free (800) 544-2552

http://www.toggler.com e-mail: sales@toggler.com 0708NPG