


Carbide-Tipped Drill Bits

Description

Wej-It offers a wide variety of carbide-tipped drill bits, including; SDS-plus®, SDS-max®, Hex Driver, Taper and Spline. These carbide-tipped drill bits feature a centering tip that allows exact hole placement and greatly reduces bit walking. A large relief cut in the fluting below the carbide reduces friction during dust removal, reducing heat and increasing bit life. Box fluting decreases vibration back into the tool and increases operator comfort during drilling.



SDS-plus Carbide-Tipped Drill Bits



SDS-max Cutter Carbide-Tipped Drill Bits



Hex Driver Carbide-Tipped Drill Bits



Taper Carbide-Tipped Drill Bits



Spline Carbide-Tipped Drill Bits

Order Information



SDS-plus® Carbide-Tipped Drill Bits

Catalog No.	Drill Bit Size (in.)	Overall Length (in.)	Usable Length (in.)	Qty.
SDS5324	5/32 x 4	4	2	1
SDS5326	5/32 x 6	6	4	1
SDS3164	3/16 x 4	4	2	1
SDS3166	3/16 x 6	6	4	1
SDS3168	3/16 x 8	8	6	1
SDS31612	3/16 x 12	12	10	1
SDS1440	1/4 x 4	4	2	1
SDS1460	1/4 x 6	6	4	1
SDS1480	1/4 x 8	8	6	1
SDS1411	1/4 x 11	11	9	1
SDS1420	1/4 x 20	20	18	1
SDS5166	5/16 x 6	6	4	1
SDS5168	5/16 x 8	8	6	1
SDS51612	5/16 x 12	12	10	1
SDS3860	3/8 x 6	6	4	1
SDS3880	3/8 x 8	8	6	1
SDS3812	3/8 x 12	12	10	1
SDS3818	3/8 x 18	18	16	1
SDS7166	7/16 x 6	6	4	1
SDS71612	7/16 x 12	12	10	1
SDS1260	1/2 x 6	6	4	1
SDS1280	1/2 x 8	8	6	1
SDS1210	1/2 x 10	10	8	1
SDS1212	1/2 x 12	12	10	1
SDS1218	1/2 x 18	18	16	1
SDS1224	1/2 x 24	24	22	1
SDS9166	9/16 x 6	6	4	1
SDS91612	9/16 x 12	12	10	1
SDS5860	5/8 x 6	6	4	1
SDS5880	5/8 x 8	8	6	1
SDS5812	5/8 x 12	12	10	1
SDS5818	5/8 x 18	18	16	1
SDS5824	5/8 x 24	24	22	1
SDS3480	3/4 x 8	8	6	1
SDS3412	3/4 x 12	12	10	1
SDS3418	3/4 x 18	18	16	1
SDS3424	3/4 x 24	24	18	1
SDS7880	7/8 x 8	8	6	1
SDS7812	7/8 x 12	12	10	1
SDS7818	7/8 x 18	18	16	1
SDS1012	1 x 12	12	10	1
SDS1018	1 x 18	18	16	1

SDS-max® Cutter* Carbide-Tipped Drill Bits

Catalog No.	Drill Bit Size (in.)	Overall Length (in.)	Usable Length (in.)	Qty.
SDSMHQ1213	1/2 x 13 (2 cutter)	13	8	1
SDSMHQ1221	1/2 x 21 (2 cutter)	21	16	1
SDSMHQ91613	9/16 x 13 (2 cutter)	13	8	1
SDSMHQ91621	9/16 x 21 (2 cutter)	21	16	1
SDSMHQ5813	5/8 x 13 (4 cutter)	13	8	1
SDSMHQ5821	5/8 x 21 (4 cutter)	21	16	1
SDSMHQ3413	3/4 x 13 (4 cutter)	13	8	1
SDSMHQ3421	3/4 x 21 (4 cutter)	21	16	1
SDSMHQ3436	3/4 x 36 (4 cutter)	36	30	1
SDSMHQ7813	7/8 x 13 (4 cutter)	13	8	1
SDSMHQ7821	7/8 x 21 (4 cutter)	21	16	1
SDSMHQ1013	1 x 13 (4 cutter)	13	8	1
SDSMHQ1021	1 x 21 (4 cutter)	21	16	1
SDSMHQ1036	1 x 36 (4 cutter)	36	30	1
SDSMHQ11821	1-1/8 x 21 (4 cutter)	21	16	1
SDSMHQ11423	1-1/4 x 23 (4 cutter)	23	18	1
SDSMHQ13823	1-3/8 x 23 (4 cutter)	23	18	1
SDSMHQ11223	1-1/2 x 23 (4 cutter)	23	18	1
SDSMHQ13423	1-3/4 x 23 (4 cutter)	23	18	1
SDSMHQ2023	2 x 23 (4 cutter)	23	15	1

*Cutter makes bit rebar-resistant



Hex Driver Carbide-Tipped Drill Bits				
Catalog No.	Drill Bit Size (in.)	Overall Length (in.)	Usable Length (in.)	Qty.
SDSH5325	5/32 x 5	5	2	1
SDSH5327	5/32 x 7	7	4	1
SDSH3165	3/16 x 5	5	2	1
SDSH3167	3/16 x 7	7	4	1



Taper Carbide-Tipped Drill Bits				
Catalog No.	Drill Bit Size (in.)	Overall Length (in.)	Usable Length (in.)	Qty.
TAP53232	5/32 x 3-1/2	3-1/2	2-1/4	1
TAP53242	5/32 x 4-1/2	4-1/2	2-1/2	1
TAP53252	5/32 x 5-1/2	5-1/2	3-3/4	1
TAP31632	3/16 x 3-1/2	3-1/2	2-1/4	1
TAP31642	3/16 x 4-1/2	4-1/2	2-1/2	1
TAP31652	3/16 x 5-1/2	5-1/2	3-3/4	1



Spline Carbide-Tipped Drill Bits				
Catalog No.	Drill Bit Size (in.)	Overall Length (in.)	Usable Length (in.)	Qty.
SPL3810	3/8 x 10	10	5	1
SPL3813	3/8 x 13	13	8	1
SPL3816	3/8 x 16	16	11	1
SPL1210	1/2 X 10	10	5	1
SPL1213	1/2 x 13	13	8	1
SPL1216	1/2 x 16	16	11	1
SPL1222	1/2 x 22	22	17	1
SPL91613	9/16 x 13	13	8	1
SPL91616	9/16 X 16	16	11	1
SPL91622	9/16 X 22	22	17	1
SPL5810	5/8 x 10	10	5	1
SPL5813	5/8 x 13	13	8	1
SPL5816	5/8 x 16	16	11	1
SPL5822	5/8 x 22	22	17	1
SPL3410	3/4 X 10	10	5	1
SPL3413	3/4 x 13	13	8	1
SPL3416	3/4 x 16	16	11	1
SPL3422	3/4 x 22	22	17	1
SPL7816	7/8 x 16	16	11	1
SPL7822	7/8 x 22	22	17	1
SPL1016	1 x 16	16	11	1
SPL1022	1 x 22	22	17	1
SPL11822	1-1/8 x 22	22	17	1
SPL11416	1-1/4 x 16	16	11	1
SPL13816	1-3/8 x 16	16	11	1
SPL13422	1-3/4 X 22	22	17	1
SPL2022	2 x 22	22	17	1

For more information, please contact:



Divisions of Mechanical Plastics Corp.

110 Richards Avenue • Norwalk, CT 06854

Phone: 203-857-2200

Fax: 203-857-2201 • E-mail: sales@wejit.com

www.toggler.com • www.wejit.com